17.	Туре	L#	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	L1	7	("5970490" or "5724571" or "5767854").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
2	BRS	L2	236	(source\$1 near4 collect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
3	BRS	L3	0	and (source\$1 near4 collect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	:		
4	BRS	L4	0	2 and (automat\$6 near2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
5	BRS	L5	915	automat\$6 near2 navigat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
6	BRS	L6	0	5 and (target\$1 near10 collect\$6) and (source\$1 near10 collect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
7	BRS	L7	0	5 and (target\$1 near (dataset\$1 or data\$1set\$1 or (data! adj set\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
8	BRS	L8	139	(target\$1 near (dataset\$1 or data\$1set\$1 or (data! adj set\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
9	BRS	L9	17	8 and (source\$1 near (dataset\$1 or data\$1set\$1 or (data! adj set\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
10	BRS	L10	0	9 and (navigat\$6 near10 (element\$1 adj collect\$6))	USPAT; US-PGPUB; EPO JPO; DERWENT; IBM TDB			
11	BRS	L11	0	9 and (navigat\$6 same (element\$1 adj collect\$6))	USPAT; US-PGPUB; EPO JPO; DERWENT; IBM TDB			
12	BRS	L12	1	2 and (navigat\$6 same (element\$1 adj collect\$6))	USPAT; US-PGPUB; EPO JPO; DERWENT; IBM TDB			
13	BRS	L13	0	(navigat\$6 near10 (element\$1 adj collect\$6))	JPO; DERWENT; IBM TDB			
14	BRS	L14	4	(navigat\$6 same (element\$1 adj collect\$6))	USPAT; US-PGPUB; EPO JPO; DERWENT; IBM TDB			

	Туре	L#	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
15	BRS	L15	0	9 and (upgrad\$3 or up\$1grad\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
16	BRS	L16	1	8 and (upgrad\$3 or up\$1grad\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB		ı	
17	BRS	L17	48837	(dataset\$1 or data\$1set\$1 or (data! adj set\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
18	BRS	L18	135	17 and (element\$1 near collect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
19	BRS	L19	18	18 and relational!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
20	BRS	L20	5	19 and (target\$1 and source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
21	BRS	L21	1	20 and (upgrad\$3 or up\$1grad\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
22	BRS	L22	2	1 and (data! near4 collect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
23	BRS	L23	2	22 and element\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
24	BRS	L24	2	23 and group\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
25	BRS	L26	0	25 and (automat\$6 near2 navigat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
26	BRS	L25	144	(data! near4 collect\$6) and (element\$1 near4 group\$3) and (collect\$6 near9 structure\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
27	BRS	L27	41	25 and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
28	BRS	L28	31	25 and (target\$1 same source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			

	Туре	L#	Hits	Search Text	DBs	Time Stamp	Comments	Error
 	-	 - "	<u> </u>		USPAT:	Time Granip	Comments	Definition
29	BRS	L29	79	(data! near2 collect\$6) and (element\$1 near2 group\$3) and (collect\$6 near4 structure\$1)	US-PGPUB; EPO JPO; DERWENT; IBM TDB			
30	BRS	L30	26	29 and (target\$1 same source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
31	BRS	L31	1	30 and (SQL or relational!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
32	BRS	L32	329	automat\$6 near2 navigat\$6 near2 system\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
33	BRS	L33	0	32 and (decision! adj support\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
34	BRS	L34	23	32 and (data! near4 collect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
35	BRS	L35	1	34 and (collect\$6 near6 (element\$1 or group\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
36	BRS	L36	0	35 and (target\$1 and source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
37	BRS	L37	0	or (data! adj set\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
38	BRS	L38	15	32 and (dataset\$1 or data\$1set\$1 or (data! adj set\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
39	BRS	L39	: 2	38 and (target\$1 and source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
40	BRS	L40	17	32 and (target\$1 same source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
41	BRS	L41	36	5 and (target\$1 same source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
42	BRS	L42	3	41 and (collect\$6 near6 (element\$1 or group\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			

ν.	Туре	L#	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
43	BRS	L43	95	5 and (target\$1 and source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			Jennidon.
44	BRS	L44	8	43 and (collect\$6 near6 (element\$1 or group\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
45	BRS	L45	6	43 and (element\$1 near6 (collect\$6 or group\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	:		
46	BRS	L46	16	5 and (element\$1 near6 (collect\$6 or group\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
47	BRS	L47	0	5 and (collect\$6 near4 (data! adj element\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
48	BRS	L48	0	5 and (collect\$6 near8 (data! adj element\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
49	BRS	L49	1	(target\$1 near4 collect\$6) same match\$3 same (source\$1 near4 collection\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
50	BRS	L50	37	(target\$1 near4 collect\$6) and match\$3 and (source\$1 near4 collection\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
51	BRS	L51	72	(target\$1 near4 collect\$6) and match\$3 and (source\$1 near4 collect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
52	BRS	L52	6	51 and (automat\$6 near4 select\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
53	BRS	L53	0	52 and (structure\$1 near4 (dissimilar! or dis\$1similar!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
54	BRS	L54	0	51 and (structure\$1 near4 (dissimilar! or dis\$1similar!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
55	BRS	L55	929	(structure\$1 near4 (dissimilar! or dis\$1similar!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
56	BRS	L56	0	55 and (target\$1 near4 collect\$6) and match\$3 and (source\$1 near4 collect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			

٠	Туре	L#	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
57	BRS	L57	0	55 and (target\$1 near4 collect\$6) and (source\$1 near4 collect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
58	BRS	L58	236	(target\$1 near4 collect\$6) and (source\$1 near4 collect\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
59	BRS	L59	14	58 and (dataset\$1 or data\$1set\$1 or (data! adj set\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	:		
60	BRS	L60	2	59 and (automat\$6 near4 select\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
61	BRS	L61	10	58 and (automat\$6 near4 select\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
62	BRS	L62	3414	automat\$6 near4 select\$6 near5 data!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	1		
63	BRS	L63	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
64	BRS	L64	2	62 and ((decision! adj support\$1) with analy\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
65	BRS	L65	2	64 and (target\$1 and source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
66	BRS	L66	132	((decision! adj support\$1) with analy\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
67	BRS	L67	35	66 and (target\$1 and source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/07/20 10:50		
68	BRS	L68	16	66 and (target\$1 same source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
69	BRS	L69	3	68 and collect\$3 same data! same element\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	:		

ſ.	Туре	1 #	Hits	Search Text	DBs	Time Stamp	Comments	Error
	1.760		11113	ocaron rext		Time Otamp	Johnnents	Definition
1	BRS	L1	13	("5970490" or "5724571" or "5767854" or "6029195" or "6208990" or "6016394").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
2	BRS	L2	1891	automat\$6 near6 navigat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
3	BRS	L3	1	1 and automat\$6 near6 navigat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
4	BRS	L4	1	3 and automat\$6 near6 select\$6 near4 data!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
5	BRS	L5	3	1 and automat\$6 near6 select\$6 near4 data!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
6	BRS	L6	0	5 and (collect\$3 near6 element\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
7	BRS	L7	2	1 and (collect\$3 near6 element\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
8	BRS	L9	0	8 and automat\$6 near6 navigat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
9	BRS	L8	2	7 and (target\$1 and source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
10	BRS	L10	2	7 and (target\$1 same source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
11	BRS	L11	0	1 and (distance! near metric) same computing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
12	BRS	L12	200	(distance! near metric) same (computing or computed or compute! or computes or computation\$1 or calculat\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
13	BRS	L14	0 -	13 and (collect\$3 near6 element\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			
14	BRS	L13	11	12 and (target\$1 same source\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB			